Regulatory Peptides, 32 (1991) 377–379
Elsevier

Author index

Abello, J., see Herrmann, C., 181
Agro, A., Padol, I. and Stanisz, A.M., Immunomodulatory activities of the somatostatin analogue BIM 23014c: effects on murine lymphocyte proliferation and natural killer activity, 129
Ahrén, B. and Falck, B., Effects of helodermin and VIP on insulin and glucagon secretion in the mouse, 1
Aprahamian, M., see Hajri, A., 227
Aragonés, M.D., see Catalán, R.E., 289
Aratan-Spire, S., see Scharfmann, R., 75
Arnold, R., see Eissele, R., 333
Beglinger, C., see Born, W., 311
Bernard, C., see Herrmann, C., 181
Bissette, G., see Levant, B., 193
Born, W., Beglinger, C. and Fischer, J.A., Diagnostic relevance of the amino-terminal cleavage peptide of procalcitonin (PAS-57), calcitonin and calcitonin gene-related peptide in medullary thyroid carcinoma patients, 311
Botella, A., see Delvaux, M., 369
Bounjoua, Y., Vandermeers, A., Robberecht, P., Vandermeers-Piret, M.-C. and Christophe, J., Purification and amino acid sequence of vasoactive intestinal peptide, peptide histidine isoleucinamide and secretin from the ovine small intestine, 169
Brzozowski, T., see Konturek, S.J., 203
Bueno, L., see Delvaux, M., 369
Cardin, A.D., see Fanger, B.O., 241
Catalán, R.E., Martínez, A.M., Aragonés, M.D. and Miguel, B.G., Selective time-dependent effects of insulin on brain phosphoinositide metabolism, 289
Chayvialle, J.-A., see Herrmann, C., 181
Christophe, J., see Bounjoua, Y., 169
Christophe, J., see Lambert, M., 151
Conlon, J.M., see McGregor, G.P., 109
Corder, R., see Pralong, F.P., 217
Cuber, J.-C., see Herrmann, C., 181
Dahlqvist, Å., see Domeij, S., 95
Dakka, T., see Herrmann, C., 181
Dalsgaard, C.-J., see Franco-Cereceda, A., 253
Damgé, C., see Hajri, A., 227
Delvaux, M., Botella, A., Fioramonti, J., Frexinos, J. and Bueno, L., Galanin induces contraction of isolated cells from circular muscle layer of pig ileum, 369
Dembinski, A., see Konturek, S.J., 203
Depoortere, I., Peeters, T.L. and Vantrappen, G., Effect of erythromycin and of octreotide on motilin receptor density in the rabbit, 85
Diem Bui, N., see Lambert, M., 151
Domeij, S., Dahlqvist, Å. and Forsgren, S., Enkephalin-like immunoreactivity in ganglionic cells in the rat larynx and superior cervical ganglion of the rat, 95
Edvinsson, L., Ekman, R. and Thulin, T., Increased plasma levels of neuropeptide Y-like immunoreactivity and catecholamines in severe hypertension remain after treatment in normotension in man, 279
Eissele, R., Koop, I., Schaar, M., Koop, H. and Arnold, R., Role of cholecystokinin in the control of gastric somatostatin in the rat: in vivo and in vitro studies, 333
Ekman, R., see Edvinsson, L., 279
Eng, J., see Yu, J., 39
Falck, B., see Ahrén, B., 1
Fanger, B.O., Wade, A.C. and Cardin, A.D., Characterization of the murine pancreatic receptor for gastrin releasing peptide and bombesin, 241
Ferguson, A.V. and Smith, P., Circulating endothelin influences area postrema neurons, 11
Fioramonti, J., see Delvaux, M., 369
Fischer, J.A., see Born, W., 311
Fischer-Colbrie, R., see Höfle, G., 321
Fleming, P.J., see Höfle, G., 321
Fong, J.C., Hong, S.-J. and Wang, F.-F., Somatostatin inhibits pepsinogen secretion via a cyclic AMP-independent pathway, 351
Forsgren, S., see Domeij, S., 95
Franco-Cereceda, A., Rydh, M., Lou, Y.-P., Dalsgaard, C.-J. and Lundberg, J.M., Endo-

thelin as a putative sensory neuropeptide in the guinea-pig: different properties in comparison with calcitonin gene-related peptide, 253
Frexinos, J., see Delvaux, M., 369
Gaillard, R.C., see Pralong, F.P., 217
Go, V.L.W., see Opara, E.C., 65
Grove, K.L., see Speth, R.C., 121
Hajri, A., Aprahamian, M. and Damgé, C., Effect of prolonged administration of long-acting somatostatin on caerulein, CCK-8 and GRP induced pancreatic growth in the rat, 227
Herrmann, C., Cuber, J.-C., Abello, J., Dakka, T., Bernard, C. and Chayvialle, J.-A., Release of ileal neurotensin in the rat by neurotransmitters and neuropeptides, 181
Hogue-Angeletti, R., see Höfle, G., 321
Hong, S.-J., see Fong, J.C., 351
Humpel, C., see Höfle, G., 321
Höfle, G., Weiler, R., Fischer-Colbrie, R., Humpel, C., Laslop, A., Wohlfarter, T., Hogue-Angeletti, R., Saria, A., Fleming, P.J. and Winkler, H., Stimulation of rat adrenal medulla can induce differential changes in the peptide and mRNA levels of chromogranins, neuropeptides and other constituents of chromaffin granules, 321
Ishikawa, K., see Shibanoki, S., 267
Jansen, J.B.M.J., see Jebbink, M.C.W., 361
Jebbink, M.C.W., Jansen, J.B.M.J., Mooy, D.M., Rovati, L.C. and Lamers, C.B.H.W., Effect of the specific cholecystokinin-receptor antagonist loxiglumide on bombesin stimulated pancreatic enzyme secretion in man, 361
Konturek, P.K., see Konturek, S.J., 203
Konturek, S.J., Brzozowski, T., Konturek, P.K., Majka, J. and Dembiński, A., Role of salivary glands and epidermal growth factor (EGF) in gastric secretion and mucosal integrity in rats exposed to stress, 203
Koop, H., see Eissele, R., 333
Koop, I., see Eissele, R., 333
Kramer, S.T., see Palmer Smith, J., 341
Lambert, M., Diem Bui, N. and Christophe, J., Functional and molecular characterization of CCK receptors in the rat pancreatic acinar cell line AR 4-2J, 151
Lamers, C.B.H.W., see Jebbink, M.C.W., 361
Laslop, A., see Höfle, G., 321
Levant, B., Bissette, G., Widerlöv, E. and Nemeroff, C.B., Alterations in regional brain neurotensin concentrations produced by atypical antipsychotic drugs, 193
Lindstrand, K., see Montavon, Ph., 141
Lou, Y.-P., see Franco-Cereceda, A., 253
Lundberg, J.M., see Franco-Cereceda, A., 253
Luts, A., see Montavon, Ph., 141
Majka, J., see Konturek, S.J., 203
Martínez, A.M., see Catalán, R.E., 289
Martinez, J.L., Jr., see Shibanoki, S., 267
McGregor, G.P. and Conlon, J.M., Regulatory peptide and serotonin content and brush-border enzyme activity in the rat gastrointestinal tract following neonatal treatment with capsaicin; lack of effect on epithelial markers, 109
Miguel, B.G., see Catalán, R.E., 289
Montavon, Ph., Lindstrand, K., Luts, A. and Sundler, F., Peptide-containing nerve fibers in the fungiform papillae of pigs and rats, 141
Mooy, D.M., see Jebbink, M.C.W., 361
Morris, J.L., Roles of neuropeptide Y and noradrenaline in sympathetic neurotransmission to the thoracic vena cava and aorta of guinea-pigs, 297
Nawata, H., see Takayanagi, R., 23
Nemeroff, C.B., see Levant, B., 193
Ohashi, M., see Takayanagi, R., 23
Ohnaka, K., see Takayanagi, R., 23
Opara, E.C. and Go, V.L.W., Influence of gastric inhibitory polypeptide (GIP) and glucose on the regulation of glucagon secretion by pancreatic alpha cells, 65
Padol, I., see Agro, A., 129
Palmer Smith, J., Kramer, S.T. and Solomon, T.E., CCK stimulates growth of six human pancreatic cancer cell lines in serum-free medium, 341
Peeters, T.L., see Depoortere, I., 85
Powell, D.A., see Premen, A.J., 47
Pralong, F.P., Corder, R. and Gaillard, R.C., Responses of the rat pituitary-adrenal axis to hypotensive infusions of corticotropin-releasing factor, vasoactive intestinal peptide and other depressor agents, 217
Premen, A.J. and Powell, D.A., Pancreatectomy, amino acids and glucagon: effect on canine renal autoregulation, 47
Robberecht, P., see Bounjoua, Y., 169
Rovati, L.C., see Jebbink, M.C.W., 361
Rydh, M., see Franco-Cereceda, A., 253
Saria, A., see Höfle, G., 321
Schaar, M., see Eissele, R., 333
Scharfmann, R. and Aratan-Spire, S., Ontogeny of two topologically distinct TRH-degrading pyroglutamate aminopeptidase activities in the rat liver, 75
Shibanoki, S., Weinberger, S.B., Ishikawa, K. and

Martinez, J.L., Jr., Further characterization of the in vitro hydrolysis of [Leu]- and [Met]-enkephalin in rat plasma: HPLC-ECD measurement of substrate and metabolite concentrations, 267
Smith, P., see Ferguson, A.V., 11
Solomon, T.E., see Palmer Smith, J., 341
Speth, R.C. and Grove, K.L., Pertussis toxin blocks the dipsogenic actions of carbachol, but does not block the dipsogenic and pressor actions of angiotensin II, 121
Stanisz, A.M., see Agro, A., 129
Sundler, F., see Montavon, Ph., 141
Takasaki, C., see Takayanagi, R., 23
Takayanagi, R., Ohnaka, K., Takasaki, C., Ohashi, M. and Nawata, H., Multiple subtypes of endothelin receptors in porcine tissues: characterization by ligand binding, affinity labeling and regional distribution, 23
Thulin, T., see Edvinsson, L., 279
Vandermeers, A., see Bounjoua, Y., 169
Vandermeers-Piret, M.-C., see Bounjoua, Y., 169
Vantrappen, G., see Depoortere, I., 85
Wade, A.C., see Fanger, B.O., 241
Wang, F.-F., see Fong, J.C., 351
Weiler, R., see Höfle, G., 321
Weinberger, S.B., see Shibanoki, S., 267
Widerlöv, E., see Levant, B., 193
Winkler, H., see Höfle, G., 321
Wohlfarter, T., see Höfle, G., 321
Xin, Y., see Yu, J., 39
Yalow, R.S., see Yu, J., 39
Yu, J., Xin, Y., Eng, J. and Yalow, R.S., Rhesus monkey gastroenteropancreatic hormones: relationship to human sequences, 39

Regulatory Peptides, 32 (1991) 380–383
Elsevier

Key word index

ACTH; Hypotension; Corticosterone; Aldosterone; Rat, 217
AMP, cyclic-; Pepsinogen secretion; Somatostatin; Forskolin; Frog esophagus; Peptic cell, 351
Adrenal medulla; Chromogranin; Neuropeptide Y; Calcitonin gene-related peptide; Cytochrome *b*-561, 321
Adrenaline; Neuropeptide Y; Noradrenaline; Hypertension, 279
Affinity labeling; Endothelin; Sarafotoxin; Receptor; Subtype, 23
Aldosterone; Hypotension; ACTH; Corticosterone; Rat, 217
Amino acid sequence; Insulin; Glucagon; Pancreatic polypeptide; Vasoactive intestinal polypeptide; Gastrin, 39
Aminopeptidase M; HPLC-ECD; Rat plasma; Enkephalin; Hydrolysis; Angiotensin converting enzyme, 267
Angiotensin II receptor; Dipsogenesis; Blood pressure; GTP binding protein; Pertussis toxin; Muscarinic cholinergic receptor, 121
Angiotensin converting enzyme; HPLC-ECD; Rat plasma; Enkephalin; Hydrolysis; Aminopeptidase M, 267
BIM 23014c; Somatostatin; Lymphocyte; Immunomodulation, 129
Blood pressure; Angiotensin II receptor; Dipsogenesis; GTP binding protein; Pertussis toxin; Muscarinic cholinergic receptor, 121
Bombesin; CCK receptor antagonist; Loxiglumide; Cholecystokinin; Pancreatic enzyme secretion, 361
Brain; Insulin; Phosphoinositide, 289
Brush-border enzyme; Capsaicin-sensitive neuron; Gastrointestinal mucosa, 109
CCK receptor; Rat pancreatic acinar cell line AR 4-2J, 151
CCK receptor antagonist; Loxiglumide; Cholecystokinin; Bombesin; Pancreatic enzyme secretion, 361
CCK-8; Pancreatic growth; Rat; Somatostatin; Octreotide; SMS 201-995; Caerulein; GRP, 227
CGRP; Calcitonin gene product; Circulation; Tumor marker, 311
Caerulein; Pancreatic growth; Rat; Somatostatin; Octreotide; SMS 201-995; CCK-8; GRP, 227
Caerulein; D-cell; Stomach, 333
Calcitonin gene-related peptide; Endothelin; Guinea-pig; Nervous system; Neurotransmitter; Sensory neuron, 253
Calcitonin gene product; CGRP; Circulation; Tumor marker, 311
Calcitonin gene-related peptide; Adrenal medulla; Chromogranin; Neuropeptide Y; Cytochrome *b*-561, 321
Capsaicin-sensitive neuron; Gastrointestinal mucosa; Brush-border enzyme, 109
Cardiovascular; Circumventricular organ; Nucleus tractus solitarius, 11
Cell contraction; Galanin; Smooth muscle cell; Pig ileum, 369
Cell count; Cholecystokinin; Pancreatic adenocarcinoma; Cell culture, 341
Cell culture; Cholecystokinin; Pancreatic adenocarcinoma; Cell count, 341
Cholecystokinin; Pancreatic adenocarcinoma; Cell count; Cell culture, 341
Cholecystokinin; CCK receptor antagonist; Loxiglumide; Bombesin; Pancreatic enzyme secretion, 361
cHP; Thyrotropin releasing hormone; Pyroglutamate aminopeptidase; Thyroliberinase; Ontogeny, 75
Chromogranin; Adrenal medulla; Neuropeptide Y; Calcitonin gene-related peptide; Cytochrome *b*-561, 321
Circulation; Calcitonin gene product; CGRP; Tumor marker, 311
Circumventricular organ; Nucleus tractus solitarius; Cardiovascular, 11
Co-transmission; NPY; Sympathetic neuron;

Vasoconstriction; Vasodilatation, 297
Coexistence; Immunohistochemistry; Neuropeptide Y; Vasoactive intestinal polypeptide; Larynx; Superior cervical ganglion, 95
Corticosterone; Hypotension; ACTH; Aldosterone; Rat, 217
Counterregulation; Incretin; Glucagon release; Isolated islet, 65
Cross-linking; G-protein; Inositol phosphate; Phospholipase C; Growth factor receptor; Neuropeptide, 241
Cytochrome *b*-561; Adrenal medulla; Chromogranin; Neuropeptide Y; Calcitonin gene-related peptide, 321
Cytoprotection; Stress; Gastric ulcer; DNA; Prostaglandin, 203
D-cell; Caerulein; Stomach, 333
DNA; Stress; Gastric ulcer; Prostaglandin; Cytoprotection, 203
Dipsogenesis; Angiotensin II receptor; Blood pressure; GTP binding protein; Pertussis toxin; Muscarinic cholinergic receptor, 121
Endothelin; Sarafotoxin; Receptor; Subtype; Affinity labeling, 23
Endothelin; Calcitonin gene-related peptide; Guinea-pig; Nervous system; Neurotransmitter; Sensory neuron, 253
Enkephalin; HPLC-ECD; Rat plasma; Hydrolysis; Aminopeptidase M; Angiotensin converting enzyme, 267
Forskolin; Pepsinogen secretion; Somatostatin; AMP, cyclic-; Frog esophagus; Peptic cell, 351
Frog esophagus; Pepsinogen secretion; Somatostatin; AMP, cyclic-; Forskolin; Peptic cell, 351
Fungiform papilla; Neuropeptide; Taste bud, 141
G-protein; Inositol phosphate; Cross-linking; Phospholipase C; Growth factor receptor; Neuropeptide, 241
GRP; Pancreatic growth; Rat; Somatostatin; Octreotide; SMS 201-995; Caerulein; CCK-8, 227
GTP binding protein; Angiotensin II receptor; Dipsogenesis; Blood pressure; Pertussis toxin; Muscarinic cholinergic receptor, 121
Galanin; Smooth muscle cell; Cell contraction; Pig ileum, 369
Gastric ulcer; Stress; DNA; Prostaglandin; Cytoprotection, 203
Gastrin; Amino acid sequence; Insulin; Glucagon; Pancreatic polypeptide; Vasoactive intestinal polypeptide, 39
Gastrointestinal mucosa; Capsaicin-sensitive neuron; Brush-border enzyme, 109
Glomerular filtration rate; Renal blood flow; Postprandial; Protein; Vasoactive agent; Kidney, 47
Glucagon release; Incretin; Counterregulation; Isolated islet, 65
Glucagon secretion; Helodermin; VIP; Insulin secretion, 1
Glucagon; Amino acid sequence; Insulin; Pancreatic polypeptide; Vasoactive intestinal polypeptide; Gastrin, 39
Growth factor receptor; G-protein; Inositol phosphate; Cross-linking; Phospholipase C; Neuropeptide, 241
Guinea-pig; Calcitonin gene-related peptide; Endothelin; Nervous system; Neurotransmitter; Sensory neuron, 253
HPLC-ECD; Rat plasma; Enkephalin; Hydrolysis; Aminopeptidase M; Angiotensin converting enzyme, 267
Haloperidol; Sulpiride; Rimcazole; Remoxipride, 193
Helodermin; VIP; Glucagon secretion; Insulin secretion, 1
Hydrolysis; HPLC-ECD; Rat plasma; Enkephalin; Aminopeptidase M; Angiotensin converting enzyme, 267
Hypertension; Neuropeptide Y; Adrenaline; Noradrenaline, 279
Hypotension; ACTH; Corticosterone; Aldosterone; Rat, 217
Immunohistochemistry; Coexistence; Neuropeptide Y; Vasoactive intestinal polypeptide; Larynx; Superior cervical ganglion, 95
Immunomodulation; Somatostatin; Lymphocyte; BIM 23014c, 129
Incretin; Glucagon release; Counterregulation; Isolated islet, 65
Inositol phosphate; G-protein; Cross-linking; Phospholipase C; Growth factor receptor; Neuropeptide, 241
Insulin secretion; Helodermin; VIP; Glucagon secretion, 1
Insulin; Amino acid sequence; Glucagon; Pancreatic polypeptide; Vasoactive intestinal polypeptide; Gastrin, 39
Insulin; Brain; Phosphoinositide, 289
Intestine; Neurotensin; Neurotransmitter; Neuropeptide; Rat, 181
Isolated islet; Incretin; Glucagon release; Counterregulation, 65
Kidney; Renal blood flow; Glomerular filtration rate; Postprandial; Protein; Vasoactive agent, 47
Larynx; Immunohistochemistry; Coexistence;

Neuropeptide Y; Vasoactive intestinal polypeptide; Superior cervical ganglion, 95
Loxiglumide; CCK receptor antagonist; Cholecystokinin; Bombesin; Pancreatic enzyme secretion, 361
Lymphocyte; Somatostatin; Immunomodulation; BIM 23014c, 129
Macrolide; Motility; Small intestine; Motilide, 85
Motilide; Motility; Small intestine; Macrolide, 85
Motility; Small intestine; Motilide; Macrolide, 85
Muscarinic cholinergic receptor; Angiotensin II receptor; Dipsogenesis; Blood pressure; GTP binding protein; Pertussis toxin, 121
NPY; Sympathetic neuron; Co-transmission; Vasoconstriction; Vasodilatation, 297
Nervous system; Calcitonin gene-related peptide; Endothelin; Guinea-pig; Neurotransmitter; Sensory neuron, 253
Neuropeptide Y; Immunohistochemistry; Coexistence; Vasoactive intestinal polypeptide; Larynx; Superior cervical ganglion, 95
Neuropeptide; Fungiform papilla; Taste bud, 141
Neuropeptide; Neurotensin; Neurotransmitter; Rat; Intestine, 181
Neuropeptide; G-protein; Inositol phosphate; Cross-linking; Phospholipase C; Growth factor receptor, 241
Neuropeptide Y; Adrenaline; Noradrenaline; Hypertension, 279
Neuropeptide Y; Adrenal medulla; Chromogranin; Calcitonin gene-related peptide; Cytochrome *b*-561, 321
Neurotensin; Neurotransmitter; Neuropeptide; Rat; Intestine, 181
Neurotransmitter; Neurotensin; Neuropeptide; Rat; Intestine, 181
Neurotransmitter; Calcitonin gene-related peptide; Endothelin; Guinea-pig; Nervous system; Sensory neuron, 253
Noradrenaline; Neuropeptide Y; Adrenaline; Hypertension, 279
Nucleus tractus solitarius; Circumventricular organ; Cardiovascular, 11
Octreotide; Pancreatic growth; Rat; Somatostatin; SMS 201-995; Caerulein; CCK-8; GRP, 227
Ontogeny; Thyrotropin releasing hormone; cHP; Pyroglutamate aminopeptidase; Thyroliberinase, 75
Ovine small intestine; Vasoactive intestinal peptide; Peptide histidine isoleucinamide; Secretin, 169
Pancreatic polypeptide; Amino acid sequence; Insulin; Glucagon; Vasoactive intestinal polypeptide; Gastrin, 39
Pancreatic growth; Rat; Somatostatin; Octreotide; SMS 201-995; Caerulein; CCK-8; GRP, 227
Pancreatic adenocarcinoma; Cholecystokinin; Cell count; Cell culture, 341
Pancreatic enzyme secretion; CCK receptor antagonist; Loxiglumide; Cholecystokinin; Bombesin, 361
Pepsinogen secretion; Somatostatin; AMP, cyclic-; Forskolin; Frog esophagus; Peptic cell, 351
Peptic cell; Pepsinogen secretion; Somatostatin; AMP, cyclic-; Forskolin; Frog esophagus, 351
Peptide histidine isoleucinamide; Vasoactive intestinal peptide; Secretin; Ovine small intestine, 169
Pertussis toxin; Angiotensin II receptor; Dipsogenesis; Blood pressure; GTP binding protein; Muscarinic cholinergic receptor, 121
Phosphoinositide; Insulin; Brain, 289
Phospholipase C; G-protein; Inositol phosphate; Cross-linking; Growth factor receptor; Neuropeptide, 241
Pig ileum; Galanin; Smooth muscle cell; Cell contraction, 369
Postprandial; Renal blood flow; Glomerular filtration rate; Protein; Vasoactive agent; Kidney, 47
Prostaglandin; Stress; Gastric ulcer; DNA; Cytoprotection, 203
Protein; Renal blood flow; Glomerular filtration rate; Postprandial; Vasoactive agent; Kidney, 47
Pyroglutamate aminopeptidase; Thyrotropin releasing hormone; cHP; Thyroliberinase; Ontogeny, 75
Rat pancreatic acinar cell line AR 4-2J; CCK receptor, 151
Rat plasma; HPLC-ECD; Enkephalin; Hydrolysis; Aminopeptidase M; Angiotensin converting enzyme, 267
Rat; Hypotension; ACTH; Corticosterone; Aldosterone, 217
Rat; Neurotensin; Neurotransmitter; Neuropeptide; Intestine, 181
Rat; Pancreatic growth; Somatostatin; Octreotide; SMS 201-995; Caerulein; CCK-8; GRP, 227
Receptor; Endothelin; Sarafotoxin; Subtype; Affinity labeling, 23
Remoxipride; Haloperidol; Sulpiride; Rimcazole, 193
Renal blood flow; Glomerular filtration rate; Postprandial; Protein; Vasoactive agent; Kidney, 47

Rimcazole; Haloperidol; Sulpiride; Remoxipride, 193
SMS 201-995; Pancreatic growth; Rat; Somatostatin; Octreotide; Caerulein; CCK-8; GRP, 227
Sarafotoxin; Endothelin; Receptor; Subtype; Affinity labeling, 23
Secretin; Vasoactive intestinal peptide; Peptide histidine isoleucinamide; Ovine small intestine, 169
Sensory neuron; Calcitonin gene-related peptide; Endothelin; Guinea-pig; Nervous system; Neurotransmitter, 253
Small intestine; Motility; Motilide; Macrolide, 85
Smooth muscle cell; Galanin; Cell contraction; Pig ileum, 369
Somatostatin; Lymphocyte; Immunomodulation; BIM 23014c, 129
Somatostatin; Pancreatic growth; Rat; Ostreotide; SMS 201-995; Caerulein; CCK-8; GRP, 227
Somatostatin; Pepsinogen secretion; AMP, cyclic-; Forskolin; Frog esophagus; Peptic cell, 351
Stomach; Caerulein; D-cell, 333
Stress; Gastric ulcer; DNA; Prostaglandin; Cytoprotection, 203
Subtype; Endothelin; Sarafotoxin; Receptor; Affinity labeling, 23
Sulpiride; Haloperidol; Rimcazole; Remoxipride, 193
Superior cervical ganglion; Immunohistochemistry; Coexistence; Neuropeptide Y; Vasoactive intestinal polypeptide; Larynx, 95
Sympathetic neuron; NPY; Co-transmission; Vasoconstriction; Vasodilatation, 297
Taste bud; Neuropeptide; Fungiform papilla, 141
Thyroliberinase; Thyrotropin releasing hormone; cHP; Pyroglutamate aminopeptidase; Ontogeny, 75
Thyrotropin releasing hormone; cHP; Pyroglutamate aminopeptidase; Thyroliberinase; Ontogeny, 75
Tumor marker; Calcitonin gene product; CGRP; Circulation, 311
VIP; Helodermin; Glucagon secretion; Insulin secretion, 1
Vasoactive agent; Renal blood flow; Glomerular filtration rate; Postprandial; Protein; Kidney, 47
Vasoactive intestinal polypeptide; Immunohistochemistry; Coexistence; Neuropeptide Y; Larynx; Superior cervical ganglion, 95
Vasoactive intestinal peptide; Peptide histidine isoleucinamide; Secretin; Ovine small intestine, 169
Vasoactive intestinal polypeptide; Amino acid sequence; Insulin; Glucagon; Pancreatic polypeptide; Gastrin, 39
Vasoconstriction; NPY; Sympathetic neuron; Co-transmission; Vasodilatation, 297
Vasodilatation; NPY; Sympathetic neuron; Co-transmission; Vasoconstriction, 297